

MADA THREADED ROD

Technical Data Sheet

TDS-ACC-R54-Rev1 Threaded Rod - July 2022



Product Description

Mada Threaded Rod features threads along the entire length. Threaded rods are used to suspend ceilings with one end fixed to the concrete slab / beams or any other structure with suitable fixings and the other end to the ceiling framework.

Field of Application

Applicable for Ceiling System, Cinema System and other such applications where high tensions are required.

Manufacturing Standards

In compliance with ASTM A123, ASTM A307 Grade A, ASTM C645 & EN 14195. Specially engineered product for suspension of ceiling system.

Product Characteristics

Parameters	Details
Material	Galvanized Steel
Thread Type	Coarse Thread
Yield Strength	240MPa - 310MPa
Tensile Strength	340MPa - 420MPa
Diameter (mm)	6, 8 and 10
Length	3000mm

Handling and Storage

- Products are supplied in pack and sub-pack quantities and should be handled in accordance with the recommendations contained in Health and Safety at Work Principles and Practice.
- Metal products should be stored in an environmentally-friendly area away from airborne contaminants such as acid and salt sprays.
- People with sensitive skin conditions should seek medical advice before prolonged handling of metal products; hands should be washed before eating and for personal hygiene.
- Non-fogging goggles should be worn when cutting metal sections.

Installation Guidelines

- To be installed along with Mada Drop-In Anchor.