

MADA FIBER JOINT TAPE

Material Safety Data Sheet

SDS-ACC-R06-Rev1 Fiber Tape - June 2022

Product Identification

Chemical Family:
Jointing Tape.

Use:
It is a self-adhesive tape made from fiberglass mesh and fine fibers. Its unique cross-fiber construction resists stretching to prevent cracking in drywall joints.

CAS Number: 65997-17-3

Contact Information:

Mada Gypsum Company
Yanbu Al Sinayah 51000
P.O.Box 31542
Kingdom of Saudi Arabia
Web: www.madagypsum.com

For Emergency Product
Information Call
Telephone: +966 14 325 3253

Hazard Identification

Potential Health Effects:

- **Eye contact:** Contact may cause irritation. If pain, itching, burning, redness or other symptoms persist or develop consult physician. Dust from sanding of the product may cause mechanical irritation of the eyes.
- **Skin contact:** Direct, Prolonged or repeated contact may dry the skin resulting in irritation and dermatitis.
- **Ingestion:** Ingestion is not considered.
- **Inhalation:** Due to the physical nature of this product, inhalation is unlikely. There are no known health effects due to inhalation.

Composition / Information On Ingredients

Component	CAS – Number	Density
Fibre Glass (Continuous Filament)	65997-17-3	62g/m ²



MATERIAL SAFETY DATA SHEET

First Aid Measures

- **General:** In all cases of doubt or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
- **Eye Contact:** Do not rub or scratch your eyes. Flush eye with water for 15 minutes, holding eye lids apart. Get medical attention if irritation develops.
- **Skin Contact:** Remove contaminated clothing. Wash skin with soap and water or a proprietary skin cleaner.
- **Ingestion:** This product is not intended to be ingested or eaten. If gastric disturbance occurs call physician.
- **Inhalation:** Remove to fresh air. Leave the area of exposure and remain away until coughing and other symptoms subside. Other measures are usually not necessary, however if conditions warrant, Contact physician.

Fire And Explosion Hazard Data

- **Flammable Properties:**
 - General Fire Hazards - None
 - Flash Point - None
 - Auto ignition temperature - None
- **Flammable Limits In Air:**
 - L.E.L. - None
 - U.E.L. - None
- **Extinguishing Media:** Dry Chemical, Foam, Water, Fog or Spray
- **Fire and Explosion Hazards:** None
- **Hazardous Combustion Products:** None. Thermal decomposition of coating may cause irritation smoke & vapor.

Accidental Release Measures

- Containment:**
- No special precautions. Wear appropriate personal protective equipment.

General recommendations:

- Pickup to avoid tripping hazard.
- Fibers should be cleaned by vacuum or by a wet sweeping technique. Do not use compressed air.
- Waste materials is not a hazardous waste. Dispose of in accordance with applicable local regulations.

Precautions For Safe Handling And Use

- Handling:**
- Good housekeeping and regular safe removal of waste materials are recommended.
 - Avoid contact with eyes, skin and clothing.
 - Wear recommended personal protective equipment when handling.
 - Minimize generation of dust.

Storage:

- Store in a cool, Dry ventilated area away from sources of heat, moisture and incompatibilities.

Exposure Controls Measures / Personal Protection

Exposure Guidelines	OSHA PEL (mg/m ³)		ACGIH TLV (mg/m ³)	
	Total Dust (T)	Respirable Dust (R)	Total Dust (T)	Respirable Dust (R)
Continuous Filament, Glass Fibre	15	5	10	5

For More Info Please [Sign In](#) or [Register](#)